1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Arctic Bay

Selected Dwelling Characteristics

Occupied private dwellings	95
tenant	85
owner	10
band housing	‡

Average number of ...	
persons per dwelling	5.5
rooms per dwelling	6.0
persons per room	0.9
bedrooms per dwelling	3.1

Average gross rent of tenant occupied dwellings ($/month)	247
Average owner's major payments of owner occupied dwellings ($/month)	408

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	30
1971-1980	30
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	60
minor repairs	10
major repairs	20

Needs of residents living in dwelling	
completely met	55
not adequately met	40

Residents on Waiting List for Housing 15

Safety Devices

Dwellings with a smoke detector	95
in working order	85

Dwellings with a fire extinguisher	95
in working order	75

Insurance

Dwellings covered by insurance	70
Dwellings not covered by insurance	5*
Insurance coverage unspecified	20

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	60
community system	30
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	95
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	90
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	20

104-05758/

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	60
community system	35
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	95
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	95
problems with electrical system	10

Heating System

Dwellings with heating systems	95
main sources of heat ...	
oil furnace	75
gas furnace	‡
another type of furnace	‡
electric heat	5*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	15
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	95
with a flush toilet	95
with an out-house	‡
with other toilet facilities	5*
toilet facilities unspecified	‡
with walls and a door (for privacy)	95
in working order	95
with a hot running water bathtub/shower	95
in working order	90
with a cold running water bathtub/shower	95
in working order	95
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	95
in working order	95
with a cold running water sink	95
in working order	95

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Broughton Island

Selected Dwelling Characteristics

Occupied private dwellings	90
tenant	85
owner	‡
band housing	‡

Average number of ...	
persons per dwelling	4.9
rooms per dwelling	4.9
persons per room	1.0
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	180
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	30
1971-1980	20
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	60
minor repairs	15
major repairs	15

Needs of residents living in dwelling	
completely met	50
not adequately met	30

Residents on Waiting List for Housing 20

Safety Devices

Dwellings with a smoke detector	90
in working order	75

Dwellings with a fire extinguisher	85
in working order	75

Insurance

Dwellings covered by insurance	15
Dwellings not covered by insurance	40
Insurance coverage unspecified	40

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	85
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	85
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	80
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	85
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	90
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	85
problems with electrical system	‡

Heating System

Dwellings with heating systems	85
main sources of heat ...	
oil furnace	55
gas furnace	5*
another type of furnace	5*
electric heat	5*
wood stove	‡
cooking stove	5*
fireplace	‡
another source	‡
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	85
with a flush toilet	75
with an out-house	‡
with other toilet facilities	10*
toilet facilities unspecified	‡
with walls and a door (for privacy)	85
in working order	80
with a hot running water bathtub/shower	80
in working order	75
with a cold running water bathtub/shower	80
in working order	80
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	80
in working order	75
with a cold running water sink	85
in working order	80

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Cape Dorset

Selected Dwelling Characteristics

Occupied private dwellings	185
tenant	170
owner	15*
band housing	‡

Average number of ...	
persons per dwelling	4.8
rooms per dwelling	4.8
persons per room	1.0
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	143
Average owner's major payments of owner occupied dwellings ($/month)	357*

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	55
1971-1980	55
1981-1991	75

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	85
minor repairs	45
major repairs	55

Needs of residents living in dwelling	
completely met	100
not adequately met	70

Residents on Waiting List for Housing 20*

Safety Devices

Dwellings with a smoke detector	170
in working order	165

Dwellings with a fire extinguisher	170
in working order	165

Insurance

Dwellings covered by insurance	45
Dwellings not covered by insurance	65
Insurance coverage unspecified	75

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	160
surface water	10*
community system	10*
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	15*

Delivery of drinking water	
truck	165
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	15*

Available water is considered suitable to drink	140
Residents treat water to make it safe to drink	25
Without drinking water at some point during the previous 12 months	10*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	160
surface water	5*
community system	10*
rain, snow, dugout	‡
household well	‡
source unspecified	10*

Delivery of non-drinking water	
truck	170
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	10*

Electrical System

Dwellings with electricity	175
problems with electrical system	10*

Heating System

Dwellings with heating systems	170
main sources of heat ...	
oil furnace	80
gas furnace	50
another type of furnace	‡
electric heat	40
wood stove	‡
cooking stove	10*
fireplace	‡
another source	‡
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	170
with a flush toilet	150
with an out-house	‡
with other toilet facilities	20*
toilet facilities unspecified	10*
with walls and a door (for privacy)	165
in working order	165
with a hot running water bathtub/shower	150
in working order	150
with a cold running water bathtub/shower	155
in working order	150
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	15*

with a hot running water sink	155
in working order	155
with a cold running water sink	155
in working order	155

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Clyde River

Selected Dwelling Characteristics

Occupied private dwellings	95
tenant	90
owner	5
band housing	‡

Average number of ...	
persons per dwelling	5.6
rooms per dwelling	5.0
persons per room	1.1
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	227
Average owner's major payments of owner occupied dwellings ($/month)	572

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	35
1971-1980	40
1981-1991	20

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	55
minor repairs	20
major repairs	20

Needs of residents living in dwelling	
completely met	45
not adequately met	50

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	90
in working order	90

Dwellings with a fire extinguisher	95
in working order	90

Insurance

Dwellings covered by insurance	15
Dwellings not covered by insurance	30
Insurance coverage unspecified	50

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	10
surface water	5
community system	75
rain, snow, dugout	‡
household well	5
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	90
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	90
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	10
surface water	5
community system	80
rain, snow, dugout	5*
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	90
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	90
problems with electrical system	5

Heating System

Dwellings with heating systems	95
main sources of heat ...	
oil furnace	90
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	5
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	95		
with a flush toilet	90		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	5		
with walls and a door (for privacy)	95		
in working order	90		
with a hot running water bathtub/shower	95	with a hot running water sink	95
in working order	90	in working order	90
with a cold running water bathtub/shower	95	with a cold running water sink	90
in working order	90	in working order	90
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	5*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Grise Fiord

Selected Dwelling Characteristics

Occupied private dwellings	30	Average number of ...	
tenant	25	persons per dwelling	4.7
owner	‡	rooms per dwelling	4.9
band housing	‡	persons per room	0.9
		bedrooms per dwelling	2.8

Average gross rent of tenant occupied dwellings ($/month)	239
Average owner's major payments of owner occupied dwellings ($/month)	348

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	15
1971-1980	5*
1981-1991	5*

Condition of Dwelling

Dwelling is in need of ...		Needs of residents living in dwelling	
regular maintenance only	15	completely met	15
minor repairs	5*	not adequately met	10
major repairs	10*		

Residents on Waiting List for Housing 5*

Safety Devices

Dwellings with a smoke detector	25	Dwellings with a fire extinguisher	30
in working order	25	in working order	25

Insurance

Dwellings covered by insurance	15
Dwellings not covered by insurance	5*
Insurance coverage unspecified	10*

Drinking Water

Source(s) of drinking water for dwelling		Delivery of drinking water	
municipal water system	20	truck	30
surface water	5*	piped to home	‡
community system	‡	hauled by household member	‡
rain, snow, dugout	‡	stand pipe	‡
household well	‡	bought at a store	‡
other source	‡	other means	‡
source unspecified	‡	means unspecified	‡

Available water is considered suitable to drink	30
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	5*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	20
surface water	5*
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	30
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	25
problems with electrical system	‡

Heating System

Dwellings with heating systems	30
main sources of heat ...	
oil furnace	20
gas furnace	‡
another type of furnace	‡
electric heat	10*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	25		
with a flush toilet	30		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	25		
in working order	25		
with a hot running water bathtub/shower	25	with a hot running water sink	25
in working order	30	in working order	25
with a cold running water bathtub/shower	25	with a cold running water sink	25
in working order	30	in working order	25
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Hall Beach

Selected Dwelling Characteristics

Occupied private dwellings	75
tenant	70
owner	5
band housing	‡

Average number of ...	
persons per dwelling	6.7
rooms per dwelling	5.2
persons per room	1.3
bedrooms per dwelling	3.1

Average gross rent of tenant occupied dwellings ($/month)	227
Average owner's major payments of owner occupied dwellings ($/month)	345

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	25
1971-1980	20
1981-1991	25

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	25
minor repairs	25
major repairs	25

Needs of residents living in dwelling	
completely met	40
not adequately met	35

Residents on Waiting List for Housing 15

Safety Devices

Dwellings with a smoke detector	70
in working order	70

Dwellings with a fire extinguisher	75
in working order	70

Insurance

Dwellings covered by insurance	50
Dwellings not covered by insurance	15
Insurance coverage unspecified	15

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	30
surface water	5
community system	45
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	75
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	55
Residents treat water to make it safe to drink	10
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	30
surface water	5
community system	45
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	75
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	70
problems with electrical system	5*

Heating System

Dwellings with heating systems	75
main sources of heat ...	
oil furnace	15
gas furnace	‡
another type of furnace	45
electric heat	5
wood stove	‡
cooking stove	‡
fireplace	‡
another source	15
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	70		
with a flush toilet	70		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	5		
with walls and a door (for privacy)	75		
in working order	75		
with a hot running water bathtub/shower	75	with a hot running water sink	75
in working order	75	in working order	75
with a cold running water bathtub/shower	70	with a cold running water sink	75
in working order	75	in working order	70
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Igloolik

Selected Dwelling Characteristics

Occupied private dwellings	155
tenant	130
owner	25
band housing	‡

Average number of ...	
persons per dwelling	5.8
rooms per dwelling	5.2
persons per room	1.1
bedrooms per dwelling	2.8

Average gross rent of tenant occupied dwellings ($/month)	179
Average owner's major payments of owner occupied dwellings ($/month)	578

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	40
1971-1980	70
1981-1991	40

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	40
minor repairs	75
major repairs	45

Needs of residents living in dwelling	
completely met	80
not adequately met	65

Residents on Waiting List for Housing 25

Safety Devices

Dwellings with a smoke detector	150
in working order	135

Dwellings with a fire extinguisher	145
in working order	130

Insurance

Dwellings covered by insurance	65
Dwellings not covered by insurance	60
Insurance coverage unspecified	35

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	120
surface water	‡
community system	25
rain, snow, dugout	10*
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	140
piped to home	‡
hauled by household member	10*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	90
Residents treat water to make it safe to drink	35
Without drinking water at some point during the previous 12 months	45

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	120
surface water	‡
community system	30
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	150
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	150
problems with electrical system	15*

Heating System

Dwellings with heating systems	155
main sources of heat ...	
oil furnace	105
gas furnace	15
another type of furnace	5*
electric heat	25
wood stove	5*
cooking stove	5*
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	150
with a flush toilet	125
with an out-house	‡
with other toilet facilities	25
toilet facilities unspecified	‡
with walls and a door (for privacy)	145
in working order	150
with a hot running water bathtub/shower	145
in working order	145
with a cold running water bathtub/shower	145
in working order	140
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	150
in working order	145
with a cold running water sink	145
in working order	145

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Iqaluit

Selected Dwelling Characteristics

Occupied private dwellings	580
tenant	530
owner	55*
band housing	‡

Average number of ...	
persons per dwelling	4.0
rooms per dwelling	4.9
persons per room	0.8
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	453
Average owner's major payments of owner occupied dwellings ($/month)	867

Period of Construction

1945 or before	‡
1946-1960	20*
1961-1970	105
1971-1980	205
1981-1991	255

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	360
minor repairs	140
major repairs	90

Needs of residents living in dwelling	
completely met	325
not adequately met	215

Residents on Waiting List for Housing 95

Safety Devices

Dwellings with a smoke detector	560
in working order	540

Dwellings with a fire extinguisher	560
in working order	545

Insurance

Dwellings covered by insurance	370
Dwellings not covered by insurance	75
Insurance coverage unspecified	130

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	560
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	115
piped to home	455
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	525
Residents treat water to make it safe to drink	30*
Without drinking water at some point during the previous 12 months	100

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	560
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	120
piped to home	450
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	565
problems with electrical system	30*

Heating System

Dwellings with heating systems	565
main sources of heat ...	
oil furnace	360
gas furnace	20*
another type of furnace	35*
electric heat	35*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	105
heating system unspecified	30*

Bathroom Facilities

Dwellings with bathroom facilities	560
with a flush toilet	550
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	30*
with walls and a door (for privacy)	555
in working order	550
with a hot running water bathtub/shower	550
in working order	545
with a cold running water bathtub/shower	555
in working order	550
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	20*

with a hot running water sink	555
in working order	545
with a cold running water sink	555
in working order	550

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Lake Harbour

Selected Dwelling Characteristics

Occupied private dwellings	65
tenant	55
owner	5*
band housing	‡

Average number of ...	
persons per dwelling	5.3
rooms per dwelling	5.3
persons per room	1.0
bedrooms per dwelling	3.2

Average gross rent of tenant occupied dwellings ($/month)	234
Average owner's major payments of owner occupied dwellings ($/month)	598

Period of Construction

1945 or before	‡
1946-1960	10
1961-1970	20
1971-1980	20
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	50
minor repairs	5
major repairs	5

Needs of residents living in dwelling	
completely met	40
not adequately met	25

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	60
in working order	60

Dwellings with a fire extinguisher	65
in working order	60

Insurance

Dwellings covered by insurance	35
Dwellings not covered by insurance	‡
Insurance coverage unspecified	25

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	15
surface water	50
community system	40
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	55
piped to home	‡
hauled by household member	30
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	45
Residents treat water to make it safe to drink	10
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	20
surface water	‡
community system	45
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	65
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	60
problems with electrical system	‡

Heating System

Dwellings with heating systems	65
main sources of heat ...	
oil furnace	60
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	60		
with a flush toilet	65		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	65		
in working order	65		
with a hot running water bathtub/shower	65	with a hot running water sink	60
in working order	65	in working order	65
with a cold running water bathtub/shower	65	with a cold running water sink	60
in working order	65	in working order	65
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

·· Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Nanisivik

Selected Dwelling Characteristics

Occupied private dwellings	20
tenant	20
owner	‡
band housing	‡

Average number of ...	
persons per dwelling	5.6
rooms per dwelling	6.2
persons per room	0.9
bedrooms per dwelling	3.4

Average gross rent of tenant occupied dwellings ($/month)	310
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	‡
1971-1980	15
1981-1991	‡

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	5
minor repairs	5
major repairs	5

Needs of residents living in dwelling	
completely met	10
not adequately met	5

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	15
in working order	15

Dwellings with a fire extinguisher	15
in working order	15

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	‡
Insurance coverage unspecified	5

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	10
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	5
piped to home	15
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	15
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	15
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	5
piped to home	15
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	15
problems with electrical system	‡

Heating System

Dwellings with heating systems	15
main sources of heat ...	
oil furnace	10
gas furnace	‡
another type of furnace	‡
electric heat	5
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	15
with a flush toilet	20
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	20
in working order	20
with a hot running water bathtub/shower	15
in working order	15
with a cold running water bathtub/shower	20
in working order	20
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡
with a hot running water sink	20
in working order	15
with a cold running water sink	15
in working order	20

Symbols

° Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Pangnirtung

Selected Dwelling Characteristics

Occupied private dwellings	230
tenant	210
owner	15*
band housing	‡

Average number of ...	
persons per dwelling	4.7
rooms per dwelling	4.8
persons per room	1.0
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	154
Average owner's major payments of owner occupied dwellings ($/month)	384

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	60
1971-1980	65
1981-1991	105

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	150
minor repairs	50
major repairs	30

Needs of residents living in dwelling	
completely met	120
not adequately met	100

Residents on Waiting List for Housing 40

Safety Devices

Dwellings with a smoke detector	220
in working order	210

Dwellings with a fire extinguisher	220
in working order	215

Insurance

Dwellings covered by insurance	80
Dwellings not covered by insurance	95
Insurance coverage unspecified	50

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	95
surface water	150
community system	20*
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	215
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	190
Residents treat water to make it safe to drink	25*
Without drinking water at some point during the previous 12 months	30

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	100
surface water	155
community system	20*
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	215
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	225
problems with electrical system	10*

Heating System

Dwellings with heating systems	220
main sources of heat ...	
oil furnace	200
gas furnace	‡
another type of furnace	‡
electric heat	15*
wood stove	‡
cooking stove	5*
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	220		
with a flush toilet	195		
with an out-house	‡		
with other toilet facilities	20*		
toilet facilities unspecified	15*		
with walls and a door (for privacy)	220		
in working order	220		
with a hot running water bathtub/shower	210	with a hot running water sink	210
in working order	205	in working order	210
with a cold running water bathtub/shower	160	with a cold running water sink	165
in working order	160	in working order	160
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Pond Inlet

Selected Dwelling Characteristics

Occupied private dwellings	165
tenant	145
owner	15*
band housing	‡

Average number of ...	
persons per dwelling	5.5
rooms per dwelling	5.0
persons per room	1.2
bedrooms per dwelling	2.9

Average gross rent of tenant occupied dwellings ($/month)	198
Average owner's major payments of owner occupied dwellings ($/month)	394

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	30
1971-1980	60
1981-1991	65

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	95
minor repairs	30
major repairs	35

Needs of residents living in dwelling	
completely met	90
not adequately met	55

Residents on Waiting List for Housing

15*

Safety Devices

Dwellings with a smoke detector	150
in working order	145

Dwellings with a fire extinguisher	155
in working order	140

Insurance

Dwellings covered by insurance	30
Dwellings not covered by insurance	25
Insurance coverage unspecified	105

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	150
surface water	10*
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	10*

Delivery of drinking water	
truck	150
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	10*
means unspecified	10*

Available water is considered suitable to drink	100
Residents treat water to make it safe to drink	45
Without drinking water at some point during the previous 12 months	10*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	150
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	10*

Delivery of non-drinking water	
truck	145
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	10*

Electrical System

Dwellings with electricity	150
problems with electrical system	10*

Heating System

Dwellings with heating systems	155
main sources of heat ...	
oil furnace	145
gas furnace	‡
another type of furnace	‡
electric heat	5*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	15*

Bathroom Facilities

Dwellings with bathroom facilities	150
with a flush toilet	150
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	15*
with walls and a door (for privacy)	150
in working order	150
with a hot running water bathtub/shower	150
in working order	145
with a cold running water bathtub/shower	150
in working order	145
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	10*
with a hot running water sink	150
in working order	145
with a cold running water sink	150
in working order	150

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Resolute

Selected Dwelling Characteristics

Occupied private dwellings	30
tenant	25
owner	‡
band housing	‡

Average number of ...	
persons per dwelling	4.4
rooms per dwelling	4.9
persons per room	0.9
bedrooms per dwelling	2.8

Average gross rent of tenant occupied dwellings ($/month)	221
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	10
1971-1980	15
1981-1991	5*

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	5
minor repairs	10
major repairs	20

Needs of residents living in dwelling	
completely met	15
not adequately met	10

Residents on Waiting List for Housing

5*

Safety Devices

Dwellings with a smoke detector	30
in working order	25

Dwellings with a fire extinguisher	25
in working order	25

Insurance

Dwellings covered by insurance	15
Dwellings not covered by insurance	5
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	20
surface water	10
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	25
hauled by household member	5*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	25
Residents treat water to make it safe to drink	5*
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	20
surface water	5
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	‡
piped to home	25
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	25
problems with electrical system	‡

Heating System

Dwellings with heating systems	30
main sources of heat ...	
oil furnace	25
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	30
with a flush toilet	25
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	25
in working order	25
with a hot running water bathtub/shower	25
in working order	30
with a cold running water bathtub/shower	30
in working order	25
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡
with a hot running water sink	25
in working order	30
with a cold running water sink	30
in working order	25

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Sanikiluaq

Selected Dwelling Characteristics

Occupied private dwellings	80
tenant	75
owner	5
band housing	‡

Average number of ...	
persons per dwelling	6.3
rooms per dwelling	5.2
persons per room	1.2
bedrooms per dwelling	3.2

Average gross rent of tenant occupied dwellings ($/month)	136
Average owner's major payments of owner occupied dwellings ($/month)	523

Period of Construction

1945 or before	‡
1946-1960	5*
1961-1970	10
1971-1980	40
1981-1991	25

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	45
minor repairs	30
major repairs	5

Needs of residents living in dwelling	
completely met	30
not adequately met	45

Residents on Waiting List for Housing 25

Safety Devices

Dwellings with a smoke detector	75
in working order	60

Dwellings with a fire extinguisher	75
in working order	70

Insurance

Dwellings covered by insurance	10
Dwellings not covered by insurance	60
Insurance coverage unspecified	15

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	35
community system	‡
rain, snow, dugout	60
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	5
piped to home	‡
hauled by household member	70
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	15
Residents treat water to make it safe to drink	10
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	20
community system	55
rain, snow, dugout	5*
household well	‡
source unspecified	‡
Delivery of non-drinking water	
truck	75
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	80
problems with electrical system	15

Heating System

Dwellings with heating systems	80
main sources of heat ...	
oil furnace	75
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	5*
fireplace	‡
another source	‡
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	75		
with a flush toilet	70		
with an out-house	‡		
with other toilet facilities	5		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	70		
in working order	70		
with a hot running water bathtub/shower	75	with a hot running water sink	70
in working order	70	in working order	70
with a cold running water bathtub/shower	70	with a cold running water sink	70
in working order	70	in working order	70
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Baffin, Unorganized

Selected Dwelling Characteristics

Occupied private dwellings	20
tenant	15
owner	5
band housing	‡

Average number of ...	
persons per dwelling	6.5
rooms per dwelling	3.9
persons per room	1.7
bedrooms per dwelling	1.6

Average gross rent of tenant occupied dwellings ($/month)	16*
Average owner's major payments of owner occupied dwellings ($/month)	267

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5
1971-1980	5*
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10
minor repairs	10
major repairs	5*

Needs of residents living in dwelling	
completely met	15
not adequately met	5

Residents on Waiting List for Housing ‡

Safety Devices

Dwellings with a smoke detector	5
in working order	5*

Dwellings with a fire extinguisher	10
in working order	15

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	10
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	5*
surface water	20
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	‡
hauled by household member	20
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	20
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	5*
surface water	20
community system	‡
rain, snow, dugout	5*
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	5*
piped to home	‡
hauled by household member	15
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	15
problems with electrical system	‡

Heating System

Dwellings with heating systems	25
main sources of heat ...	
oil furnace	10
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	5
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	20
with a flush toilet	5
with an out-house	5
with other toilet facilities	5
toilet facilities unspecified	5*
with walls and a door (for privacy)	15
in working order	15
with a hot running water bathtub/shower	5
in working order	‡
with a cold running water bathtub/shower	5
in working order	‡
Dwellings without bathroom facilities	5
Bathroom facilities unspecified	‡
with a hot running water sink	5
in working order	5
with a cold running water sink	5
in working order	5

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Arviat

Selected Dwelling Characteristics

Occupied private dwellings	255
tenant	220
owner	30
band housing	‡

Average number of ...	
persons per dwelling	5.0
rooms per dwelling	4.9
persons per room	1.0
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	183
Average owner's major payments of owner occupied dwellings ($/month)	389

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	80
1971-1980	60
1981-1991	110

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	135
minor repairs	60
major repairs	55

Needs of residents living in dwelling	
completely met	200
not adequately met	40

Residents on Waiting List for Housing 40

Safety Devices

Dwellings with a smoke detector	250
in working order	235

Dwellings with a fire extinguisher	250
in working order	240

Insurance

Dwellings covered by insurance	200
Dwellings not covered by insurance	35
Insurance coverage unspecified	20*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	230
surface water	110
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	220
piped to home	‡
hauled by household member	110
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	145
Residents treat water to make it safe to drink	65
Without drinking water at some point during the previous 12 months	20*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	245
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	250
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	235
problems with electrical system	‡

Heating System

Dwellings with heating systems	250
main sources of heat ...	
oil furnace	240
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	20*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	245
with a flush toilet	240
with an out-house	‡
with other toilet facilities	10*
toilet facilities unspecified	‡
with walls and a door (for privacy)	240
in working order	240
with a hot running water bathtub/shower	235
in working order	235
with a cold running water bathtub/shower	235
in working order	235
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	235
in working order	235
with a cold running water sink	240
in working order	235

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Baker Lake

Selected Dwelling Characteristics

Occupied private dwellings	255
tenant	250
owner	10*
band housing	‡

Average number of ...	
persons per dwelling	4.2
rooms per dwelling	4.9
persons per room	0.9
bedrooms per dwelling	2.7

Average gross rent of tenant occupied dwellings ($/month)	128
Average owner's major payments of owner occupied dwellings ($/month)	416

Period of Construction

1945 or before	‡
1946-1960	10*
1961-1970	50
1971-1980	70
1981-1991	125

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	150
minor repairs	50
major repairs	60

Needs of residents living in dwelling	
completely met	170
not adequately met	85

Residents on Waiting List for Housing 30*

Safety Devices

Dwellings with a smoke detector	255
in working order	235

Dwellings with a fire extinguisher	255
in working order	215

Insurance

Dwellings covered by insurance	25*
Dwellings not covered by insurance	60
Insurance coverage unspecified	175

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	30*
surface water	230
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	240
piped to home	‡
hauled by household member	15*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	155
Residents treat water to make it safe to drink	75
Without drinking water at some point during the previous 12 months	45

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	35
surface water	220
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	250
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	255
problems with electrical system	‡

Heating System

Dwellings with heating systems	260
main sources of heat ...	
oil furnace	190
gas furnace	‡
another type of furnace	20*
electric heat	10*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	40
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	260
with a flush toilet	240
with an out-house	‡
with other toilet facilities	15*
toilet facilities unspecified	‡
with walls and a door (for privacy)	255
in working order	255
with a hot running water bathtub/shower	250
in working order	250
with a cold running water bathtub/shower	255
in working order	255
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡
with a hot running water sink	250
in working order	255
with a cold running water sink	255
in working order	255

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Chesterfield Inlet

Selected Dwelling Characteristics

Occupied private dwellings	65
tenant	65
owner	‡
band housing	‡

Average number of ...	
persons per dwelling	4.3
rooms per dwelling	5.0
persons per room	0.9
bedrooms per dwelling	2.7

Average gross rent of tenant occupied dwellings ($/month)	246
Average owner's major payments of owner occupied dwellings ($/month)	431

Period of Construction

1945 or before	‡
1946-1960	15
1961-1970	15
1971-1980	15
1981-1991	25

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	25
minor repairs	20
major repairs	20

Needs of residents living in dwelling	
completely met	45
not adequately met	25

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	65
in working order	60

Dwellings with a fire extinguisher	65
in working order	60

Insurance

Dwellings covered by insurance	10
Dwellings not covered by insurance	30
Insurance coverage unspecified	25

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	60
community system	‡
rain, snow, dugout	5
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	65
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	50
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	15

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	65
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	60
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	60
problems with electrical system	‡

Heating System

Dwellings with heating systems	65
main sources of heat ...	
oil furnace	45
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	10
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	65
with a flush toilet	65
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	5*
with walls and a door (for privacy)	65
in working order	65
with a hot running water bathtub/shower	65
in working order	65
with a cold running water bathtub/shower	65
in working order	65
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	5*
with a hot running water sink	65
in working order	65
with a cold running water sink	65
in working order	65

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Coral Harbour

Selected Dwelling Characteristics

Occupied private dwellings	105
tenant	95
owner	10
band housing	‡

Average number of ...	
persons per dwelling	5.3
rooms per dwelling	5.0
persons per room	1.1
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	206
Average owner's major payments of owner occupied dwellings ($/month)	393

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	30
1971-1980	30
1981-1991	45

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	75
minor repairs	20
major repairs	5*

Needs of residents living in dwelling	
completely met	50
not adequately met	50

Residents on Waiting List for Housing 40

Safety Devices

Dwellings with a smoke detector	95
in working order	90

Dwellings with a fire extinguisher	95
in working order	95

Insurance

Dwellings covered by insurance	10
Dwellings not covered by insurance	85
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	100
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	95
piped to home	‡
hauled by household member	10*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	95
Residents treat water to make it safe to drink	5*
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	95
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	90
piped to home	‡
hauled by household member	5*
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	100
problems with electrical system	10

Heating System

Dwellings with heating systems	100
main sources of heat ...	
oil furnace	95
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	100
with a flush toilet	85
with an out-house	‡
with other toilet facilities	10
toilet facilities unspecified	10*
with walls and a door (for privacy)	95
in working order	95
with a hot running water bathtub/shower	85
in working order	85
with a cold running water bathtub/shower	85
in working order	85
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	5*
with a hot running water sink	85
in working order	85
with a cold running water sink	85
in working order	85

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Rankin Inlet

Selected Dwelling Characteristics

Occupied private dwellings	325
tenant	295
owner	30
band housing	‡

Average number of ...	
persons per dwelling	4.3
rooms per dwelling	4.7
persons per room	0.9
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	323
Average owner's major payments of owner occupied dwellings ($/month)	530

Period of Construction

1945 or before	‡
1946-1960	10*
1961-1970	50
1971-1980	110
1981-1991	155

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	190
minor repairs	85
major repairs	55

Needs of residents living in dwelling	
completely met	145
not adequately met	175

Residents on Waiting List for Housing 80

Safety Devices

Dwellings with a smoke detector	325
in working order	315

Dwellings with a fire extinguisher	315
in working order	290

Insurance

Dwellings covered by insurance	100
Dwellings not covered by insurance	145
Insurance coverage unspecified	80

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	85
surface water	240
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	295
hauled by household member	20*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	125
Residents treat water to make it safe to drink	135
Without drinking water at some point during the previous 12 months	30

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	90
surface water	230
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	‡
piped to home	320
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	315
problems with electrical system	25*

Heating System

Dwellings with heating systems	325
main sources of heat ...	
oil furnace	255
gas furnace	20*
another type of furnace	‡
electric heat	15*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	40
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	325		
with a flush toilet	325		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	325		
in working order	325		
with a hot running water bathtub/shower	325	with a hot running water sink	320
in working order	320	in working order	320
with a cold running water bathtub/shower	325	with a cold running water sink	320
in working order	315	in working order	320
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Repulse Bay

Selected Dwelling Characteristics

Occupied private dwellings	75
tenant	80
owner	‡
band housing	‡

Average number of...	
persons per dwelling	6.1
rooms per dwelling	5.6
persons per room	1.1
bedrooms per dwelling	2.9

Average gross rent of tenant occupied dwellings ($/month)	189
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	15
1971-1980	40
1981-1991	20

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	55
minor repairs	25
major repairs	‡

Needs of residents living in dwelling	
completely met	50
not adequately met	25

Residents on Waiting List for Housing 5*

Safety Devices

Dwellings with a smoke detector	75	Dwellings with a fire extinguisher	80
in working order	70	in working order	75

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	55
Insurance coverage unspecified	15

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	75
community system	‡
rain, snow, dugout	‡
household well	5*
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	70
piped to home	5*
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	65
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	75
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	75
piped to home	5*
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	75
problems with electrical system	‡

Heating System

Dwellings with heating systems	75
main sources of heat ...	
oil furnace	75
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	75
with a flush toilet	70
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	70
in working order	65
with a hot running water bathtub/shower	70
in working order	70
with a cold running water bathtub/shower	70
in working order	65
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	5*

with a hot running water sink	70
in working order	70
with a cold running water sink	65
in working order	65

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Whale Cove

Selected Dwelling Characteristics

Occupied private dwellings	50
tenant	50
owner	5
band housing	‡

Average number of ...	
persons per dwelling	4.2
rooms per dwelling	4.7
persons per room	0.9
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	288
Average owner's major payments of owner occupied dwellings ($/month)	407

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	15
1971-1980	5
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	20
minor repairs	20
major repairs	10

Needs of residents living in dwelling	
completely met	35
not adequately met	15

Residents on Waiting List for Housing 15

Safety Devices

Dwellings with a smoke detector	45
in working order	50

Dwellings with a fire extinguisher	50
in working order	50

Insurance

Dwellings covered by insurance	40
Dwellings not covered by insurance	‡
Insurance coverage unspecified	15

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	45
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	45
piped to home	‡
hauled by household member	25
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	20
Residents treat water to make it safe to drink	20
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	50
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5

Delivery of non-drinking water	
truck	50
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5

Electrical System

Dwellings with electricity	50
problems with electrical system	‡

Heating System

Dwellings with heating systems	50
main sources of heat ...	
oil furnace	50
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	10
heating system unspecified	5

Bathroom Facilities

Dwellings with bathroom facilities	50		
with a flush toilet	50		
with an out-house	‡		
with other toilet facilities	5		
toilet facilities unspecified	5		
with walls and a door (for privacy)	50		
in working order	50		
with a hot running water bathtub/shower	45	with a hot running water sink	50
in working order	50	in working order	45
with a cold running water bathtub/shower	45	with a cold running water sink	45
in working order	45	in working order	50
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Bay Chimo

Selected Dwelling Characteristics

Occupied private dwellings	15
tenant	10
owner	10
band housing	‡

Average number of ...	
persons per dwelling	3.3
rooms per dwelling	3.6
persons per room	0.9
bedrooms per dwelling	0.9

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	5*
1961-1970	5
1971-1980	5
1981-1991	‡

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	5
minor repairs	5
major repairs	5*

Needs of residents living in dwelling	
completely met	10
not adequately met	‡

Residents on Waiting List for Housing 5*

Safety Devices

Dwellings with a smoke detector	5*
in working order	5*

Dwellings with a fire extinguisher	‡
in working order	‡

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	10
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	15
community system	‡
rain, snow, dugout	5*
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	5
hauled by household member	10
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	10
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	‡
piped to home	5
hauled by household member	10
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	‡
problems with electrical system	‡

Heating System

Dwellings with heating systems	15
main sources of heat ...	
oil furnace	‡
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	10
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	10
with a flush toilet	‡
with an out-house	‡
with other toilet facilities	20
toilet facilities unspecified	‡
with walls and a door (for privacy)	5*
in working order	5*
with a hot running water bathtub/shower	‡
in working order	‡
with a cold running water bathtub/shower	‡
in working order	‡
Dwellings without bathroom facilities	5
Bathroom facilities unspecified	‡
with a hot running water sink	‡
in working order	‡
with a cold running water sink	5*
in working order	5*

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Cambridge Bay

Selected Dwelling Characteristics

Occupied private dwellings	215
tenant	205
owner	15*
band housing	‡

Average number of ...	
persons per dwelling	4.0
rooms per dwelling	5.0
persons per room	0.8
bedrooms per dwelling	2.2

Average gross rent of tenant occupied dwellings ($/month)	293
Average owner's major payments of owner occupied dwellings ($/month)	610*

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	50
1971-1980	90
1981-1991	75

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	105
minor repairs	55
major repairs	60

Needs of residents living in dwelling	
completely met	160
not adequately met	50

Residents on Waiting List for Housing 30

Safety Devices

Dwellings with a smoke detector	195
in working order	190

Dwellings with a fire extinguisher	215
in working order	205

Insurance

Dwellings covered by insurance	35*
Dwellings not covered by insurance	110
Insurance coverage unspecified	80

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	180
surface water	80
community system	10*
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	195
piped to home	15*
hauled by household member	70
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	70
Residents treat water to make it safe to drink	140
Without drinking water at some point during the previous 12 months	40

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	195
surface water	10*
community system	10*
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	215
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	215
problems with electrical system	‡

Heating System

Dwellings with heating systems	210
main sources of heat ...	
oil furnace	185
gas furnace	‡
another type of furnace	‡
electric heat	10*
wood stove	‡
cooking stove	‡
fireplace	‡
another source	10*
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	215		
with a flush toilet	210		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	215		
in working order	215		
with a hot running water bathtub/shower	215	with a hot running water sink	215
in working order	215	in working order	215
with a cold running water bathtub/shower	215	with a cold running water sink	210
in working order	215	in working order	210
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Coppermine

Selected Dwelling Characteristics

Occupied private dwellings	220
tenant	200
owner	20
band housing	‡

Average number of ...	
persons per dwelling	4.4
rooms per dwelling	4.6
persons per room	1.0
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	166
Average owner's major payments of owner occupied dwellings ($/month)	417

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	45
1971-1980	85
1981-1991	85

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	130
minor repairs	50
major repairs	40

Needs of residents living in dwelling	
completely met	125
not adequately met	80

Residents on Waiting List for Housing 50

Safety Devices

Dwellings with a smoke detector	215
in working order	215

Dwellings with a fire extinguisher	210
in working order	200

Insurance

Dwellings covered by insurance	40
Dwellings not covered by insurance	50
Insurance coverage unspecified	130

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	200
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	5*

Delivery of drinking water	
truck	210
piped to home	‡
hauled by household member	5*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	185
Residents treat water to make it safe to drink	25
Without drinking water at some point during the previous 12 months	15

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	160
surface water	40
community system	‡
rain, snow, dugout	10
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	170
piped to home	‡
hauled by household member	40
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	210
problems with electrical system	10*

Heating System

Dwellings with heating systems	210
main sources of heat ...	
oil furnace	185
gas furnace	‡
another type of furnace	‡
electric heat	10
wood stove	‡
cooking stove	‡
fireplace	‡
another source	25
heating system unspecified	15

Bathroom Facilities

Dwellings with bathroom facilities	215		
with a flush toilet	195		
with an out-house	‡		
with other toilet facilities	20		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	210		
in working order	210		
with a hot running water bathtub/shower	195	with a hot running water sink	195
in working order	190	in working order	190
with a cold running water bathtub/shower	200	with a cold running water sink	200
in working order	200	in working order	200
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	5*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Gjoa Haven

Selected Dwelling Characteristics

Occupied private dwellings	130
tenant	115
owner	10
band housing	‡

Average number of ...	
persons per dwelling	5.9
rooms per dwelling	5.3
persons per room	1.1
bedrooms per dwelling	3.1

Average gross rent of tenant occupied dwellings ($/month)	193
Average owner's major payments of owner occupied dwellings ($/month)	632

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	20
1971-1980	70
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	85
minor repairs	25
major repairs	15

Needs of residents living in dwelling	
completely met	80
not adequately met	40

Residents on Waiting List for Housing 25

Safety Devices

Dwellings with a smoke detector	120
in working order	115

Dwellings with a fire extinguisher	120
in working order	110

Insurance

Dwellings covered by insurance	15
Dwellings not covered by insurance	85
Insurance coverage unspecified	30

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	60
surface water	105
community system	5*
rain, snow, dugout	10
household well	‡
other source	‡
source unspecified	10

Delivery of drinking water	
truck	115
piped to home	‡
hauled by household member	50
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	80
Residents treat water to make it safe to drink	25
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	65
surface water	85
community system	5*
rain, snow, dugout	‡
household well	‡
source unspecified	5

Delivery of non-drinking water	
truck	115
piped to home	‡
hauled by household member	10*
stand pipe	‡
other means	‡
means unspecified	10

Electrical System

Dwellings with electricity	120
problems with electrical system	5*

Heating System

Dwellings with heating systems	120
main sources of heat ...	
oil furnace	110
gas furnace	5*
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	15

Bathroom Facilities

Dwellings with bathroom facilities	120		
with a flush toilet	115		
with an out-house	‡		
with other toilet facilities	10		
toilet facilities unspecified	5		
with walls and a door (for privacy)	115		
in working order	115		
with a hot running water bathtub/shower	110	with a hot running water sink	110
in working order	110	in working order	110
with a cold running water bathtub/shower	105	with a cold running water sink	105
in working order	105	in working order	110
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	10*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

— Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Holman

Selected Dwelling Characteristics

Occupied private dwellings	95
tenant	80
owner	10
band housing	x

Average number of ...	
persons per dwelling	3.6
rooms per dwelling	4.7
persons per room	0.8
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	172
Average owner's major payments of owner occupied dwellings ($/month)	299

Period of Construction

1945 or before	x
1946-1960	x
1961-1970	10
1971-1980	45
1981-1991	40

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	70
minor repairs	10
major repairs	5

Needs of residents living in dwelling	
completely met	65
not adequately met	25

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	85
in working order	90

Dwellings with a fire extinguisher	90
in working order	90

Insurance

Dwellings covered by insurance	35
Dwellings not covered by insurance	5
Insurance coverage unspecified	55

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	75
surface water	25
community system	x
rain, snow, dugout	5*
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	70
piped to home	x
hauled by household member	30
stand pipe	x
bought at a store	x
other means	x
means unspecified	5*

Available water is considered suitable to drink	85
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	90
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	85
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	85
problems with electrical system	5

Heating System

Dwellings with heating systems	90
main sources of heat ...	
oil furnace	70
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	20
heating system unspecified	5

Bathroom Facilities

Dwellings with bathroom facilities	90
with a flush toilet	80
with an out-house	‡
with other toilet facilities	10
toilet facilities unspecified	5*
with walls and a door (for privacy)	90
in working order	90
with a hot running water bathtub/shower	85
in working order	80
with a cold running water bathtub/shower	85
in working order	85
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	80
in working order	85
with a cold running water sink	80
in working order	80

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Pelly Bay

Selected Dwelling Characteristics

Occupied private dwellings	70
tenant	60
owner	5
band housing	x

Average number of ...	
persons per dwelling	5.9
rooms per dwelling	5.2
persons per room	1.1
bedrooms per dwelling	3.0

Average gross rent of tenant occupied dwellings ($/month)	179
Average owner's major payments of owner occupied dwellings ($/month)	594

Period of Construction

1945 or before	x
1946-1960	x
1961-1970	15
1971-1980	25
1981-1991	25

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	45
minor repairs	10
major repairs	10

Needs of residents living in dwelling	
completely met	30
not adequately met	30

Residents on Waiting List for Housing 20

Safety Devices

Dwellings with a smoke detector	65
in working order	65

Dwellings with a fire extinguisher	70
in working order	60

Insurance

Dwellings covered by insurance	25
Dwellings not covered by insurance	15
Insurance coverage unspecified	20

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	30
surface water	50
community system	15
rain, snow, dugout	5
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	65
piped to home	x
hauled by household member	30
stand pipe	x
bought at a store	x
other means	x
means unspecified	x

Available water is considered suitable to drink	45
Residents treat water to make it safe to drink	10
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	30
surface water	25
community system	20
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	65
piped to home	‡
hauled by household member	5*
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	65
problems with electrical system	10

Heating System

Dwellings with heating systems	60
main sources of heat ...	
oil furnace	50
gas furnace	5
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	10
heating system unspecified	5

Bathroom Facilities

Dwellings with bathroom facilities	65		
with a flush toilet	60		
with an out-house	‡		
with other toilet facilities	5		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	65		
in working order	60		
with a hot running water bathtub/shower	65	with a hot running water sink	65
in working order	65	in working order	65
with a cold running water bathtub/shower	65	with a cold running water sink	70
in working order	65	in working order	65
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

– Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Taloyoak

Selected Dwelling Characteristics

Occupied private dwellings	100
tenant	100
owner	‡
band housing	‡

Average number of ...	
persons per dwelling	5.2
rooms per dwelling	5.2
persons per room	1.0
bedrooms per dwelling	2.8

Average gross rent of tenant occupied dwellings ($/month)	196
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	35
1971-1980	40
1981-1991	20

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	45
minor repairs	35
major repairs	25

Needs of residents living in dwelling	
completely met	45
not adequately met	55

Residents on Waiting List for Housing 25

Safety Devices

Dwellings with a smoke detector	100
in working order	90

Dwellings with a fire extinguisher	100
in working order	90

Insurance

Dwellings covered by insurance	40
Dwellings not covered by insurance	35
Insurance coverage unspecified	30

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	35
surface water	65
community system	30
rain, snow, dugout	45
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	90
piped to home	‡
hauled by household member	40
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	65
Residents treat water to make it safe to drink	30
Without drinking water at some point during the previous 12 months	15

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	40
surface water	35
community system	35
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	100
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	95
problems with electrical system	‡

Heating System

Dwellings with heating systems	100
main sources of heat ...	
oil furnace	95
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	100		
with a flush toilet	90		
with an out-house	‡		
with other toilet facilities	10		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	100		
in working order	95		
with a hot running water bathtub/shower	95	with a hot running water sink	95
in working order	95	in working order	95
with a cold running water bathtub/shower	100	with a cold running water sink	95
in working order	95	in working order	95
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Aklavik

Selected Dwelling Characteristics

Occupied private dwellings	195
tenant	140
owner	60
band housing	‡

Average number of ...	
persons per dwelling	3.9
rooms per dwelling	4.9
persons per room	0.8
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	216
Average owner's major payments of owner occupied dwellings ($/month)	383

Period of Construction

1945 or before	‡
1946-1960	15*
1961-1970	35
1971-1980	60
1981-1991	90

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	90
minor repairs	45
major repairs	55

Needs of residents living in dwelling	
completely met	130
not adequately met	55

Residents on Waiting List for Housing 20

Safety Devices

Dwellings with a smoke detector	180
in working order	175

Dwellings with a fire extinguisher	185
in working order	180

Insurance

Dwellings covered by insurance	85
Dwellings not covered by insurance	80
Insurance coverage unspecified	25

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	170
surface water	10*
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	5*

Delivery of drinking water	
truck	185
piped to home	165
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	160
Residents treat water to make it safe to drink	25
Without drinking water at some point during the previous 12 months	25

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	165
surface water	15*
community system	15*
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	180
piped to home	160
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	10*

Electrical System

Dwellings with electricity	185
problems with electrical system	‡

Heating System

Dwellings with heating systems	190
main sources of heat ...	
oil furnace	180
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	35
cooking stove	35
fireplace	‡
another source	‡
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	190
with a flush toilet	165
with an out-house	‡
with other toilet facilities	20*
toilet facilities unspecified	5*
with walls and a door (for privacy)	185
in working order	185
with a hot running water bathtub/shower	165
in working order	165
with a cold running water bathtub/shower	170
in working order	170
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	5*
with a hot running water sink	170
in working order	165
with a cold running water sink	170
in working order	170

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Colville Lake

Selected Dwelling Characteristics

Occupied private dwellings	15
tenant	‡
owner	15
band housing	‡

Average number of ...	
persons per dwelling	4.5
rooms per dwelling	3.1
persons per room	1.5
bedrooms per dwelling	1.3

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	98

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5
1971-1980	‡
1981-1991	5

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	5
minor repairs	5
major repairs	5

Needs of residents living in dwelling	
completely met	10
not adequately met	5

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	10
in working order	5

Dwellings with a fire extinguisher	10
in working order	10

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	10
Insurance coverage unspecified	‡

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	‡
hauled by household member	10
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	10
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	15
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	‡
piped to home	‡
hauled by household member	10
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	10
problems with electrical system	‡

Heating System

Dwellings with heating systems	15
main sources of heat ...	
oil furnace	‡
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	15
cooking stove	5
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	5
with a flush toilet	‡
with an out-house	15
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	5
in working order	‡
with a hot running water bathtub/shower	‡
in working order	‡
with a cold running water bathtub/shower	‡
in working order	‡
Dwellings without bathroom facilities	10
Bathroom facilities unspecified	‡

with a hot running water sink	‡
in working order	‡
with a cold running water sink	‡
in working order	‡

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Deline

Selected Dwelling Characteristics

Occupied private dwellings	115
tenant	80
owner	40
band housing	‡

Average number of ...	
persons per dwelling	4.5
rooms per dwelling	4.7
persons per room	0.9
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	179
Average owner's major payments of owner occupied dwellings ($/month)	198

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	30
1971-1980	25
1981-1991	55

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	80
minor repairs	15
major repairs	20

Needs of residents living in dwelling	
completely met	85
not adequately met	20

Residents on Waiting List for Housing 10*

Safety Devices

Dwellings with a smoke detector	105
in working order	105

Dwellings with a fire extinguisher	105
in working order	100

Insurance

Dwellings covered by insurance	30
Dwellings not covered by insurance	60
Insurance coverage unspecified	25

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	85
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	5*

Delivery of drinking water	
truck	105
piped to home	‡
hauled by household member	5*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	110
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	5*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	85
surface water	20
community system	‡
rain, snow, dugout	5*
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	110
piped to home	‡
hauled by household member	5*
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	100
problems with electrical system	‡

Heating System

Dwellings with heating systems	115
main sources of heat ...	
oil furnace	90
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	25
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	5*

Bathroom Facilities

Dwellings with bathroom facilities	110		
with a flush toilet	105		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	105		
in working order	105		
with a hot running water bathtub/shower	105	with a hot running water sink	105
in working order	105	in working order	105
with a cold running water bathtub/shower	105	with a cold running water sink	105
in working order	105	in working order	105
Dwellings without bathroom facilities	5*		
Bathroom facilities unspecified	5*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Good Hope

Selected Dwelling Characteristics

Occupied private dwellings	125
tenant	35
owner	90
band housing	‡

Average number of ...	
persons per dwelling	4.6
rooms per dwelling	4.3
persons per room	1.1
bedrooms per dwelling	2.1

Average gross rent of tenant occupied dwellings ($/month)	218*
Average owner's major payments of owner occupied dwellings ($/month)	195

Period of Construction

1945 or before	‡
1946-1960	20
1961-1970	20*
1971-1980	30
1981-1991	55

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	25
minor repairs	40
major repairs	60

Needs of residents living in dwelling	
completely met	50
not adequately met	70

Residents on Waiting List for Housing 30

Safety Devices

Dwellings with a smoke detector	90
in working order	70

Dwellings with a fire extinguisher	55
in working order	45

Insurance

Dwellings covered by insurance	10*
Dwellings not covered by insurance	85
Insurance coverage unspecified	25

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	70
surface water	‡
community system	45
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	5*

Delivery of drinking water	
truck	80
piped to home	‡
hauled by household member	35
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	110
Residents treat water to make it safe to drink	10*
Without drinking water at some point during the previous 12 months	5*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	70
surface water	‡
community system	45
rain, snow, dugout	‡
household well	‡
source unspecified	5*

Delivery of non-drinking water	
truck	80
piped to home	‡
hauled by household member	35
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	115
problems with electrical system	15*

Heating System

Dwellings with heating systems	115
main sources of heat ...	
oil furnace	60
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	85
cooking stove	35
fireplace	‡
another source	‡
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	100		
with a flush toilet	60		
with an out-house	20		
with other toilet facilities	50		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	90		
in working order	90		
with a hot running water bathtub/shower	55	with a hot running water sink	55
in working order	50	in working order	50
with a cold running water bathtub/shower	55	with a cold running water sink	60
in working order	50	in working order	55
Dwellings without bathroom facilities	20		
Bathroom facilities unspecified	5*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort McPherson

Selected Dwelling Characteristics

Occupied private dwellings	175
tenant	95
owner	80
band housing	‡

Average number of ...	
persons per dwelling	4.1
rooms per dwelling	4.9
persons per room	0.8
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	242
Average owner's major payments of owner occupied dwellings ($/month)	249

Period of Construction

1945 or before	‡
1946-1960	15*
1961-1970	40
1971-1980	40
1981-1991	75

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	85
minor repairs	50
major repairs	40

Needs of residents living in dwelling	
completely met	100
not adequately met	65

Residents on Waiting List for Housing 20*

Safety Devices

Dwellings with a smoke detector	140
in working order	130

Dwellings with a fire extinguisher	135
in working order	130

Insurance

Dwellings covered by insurance	40
Dwellings not covered by insurance	90
Insurance coverage unspecified	45

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	110
surface water	75
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	105
piped to home	‡
hauled by household member	75
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	75
Residents treat water to make it safe to drink	70
Without drinking water at some point during the previous 12 months	20*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	170
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	160
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	165
problems with electrical system	10*

Heating System

Dwellings with heating systems	165
main sources of heat ...	
oil furnace	110
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	60
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	170
with a flush toilet	130
with an out-house	‡
with other toilet facilities	40
toilet facilities unspecified	‡
with walls and a door (for privacy)	160
in working order	155
with a hot running water bathtub/shower	130
in working order	130
with a cold running water bathtub/shower	125
in working order	125
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	125
in working order	125
with a cold running water sink	130
in working order	130

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

— Figure not appropriate or not applicable, or no information provided

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Norman

Selected Dwelling Characteristics

Occupied private dwellings	100
tenant	60
owner	35
band housing	‡

Average number of ...	
persons per dwelling	3.6
rooms per dwelling	4.6
persons per room	0.8
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	281
Average owner's major payments of owner occupied dwellings ($/month)	195

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	15*
1971-1980	30
1981-1991	55

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	45
minor repairs	35
major repairs	20*

Needs of residents living in dwelling	
completely met	65
not adequately met	30

Residents on Waiting List for Housing ‡

Safety Devices

Dwellings with a smoke detector	85
in working order	80

Dwellings with a fire extinguisher	85
in working order	80

Insurance

Dwellings covered by insurance	20
Dwellings not covered by insurance	60
Insurance coverage unspecified	20

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	55
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	80
piped to home	10*
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	95
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	5*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	60
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	90
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	90
problems with electrical system	‡

Heating System

Dwellings with heating systems	90
main sources of heat ...	
oil furnace	85
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	30
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	90
with a flush toilet	85
with an out-house	5*
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	80
in working order	85
with a hot running water bathtub/shower	85
in working order	80
with a cold running water bathtub/shower	85
in working order	85
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	80
in working order	85
with a cold running water sink	85
in working order	85

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Inuvik

Selected Dwelling Characteristics

Occupied private dwellings	540
tenant	435
owner	105
band housing	‡

Average number of ...	
persons per dwelling	3.5
rooms per dwelling	5.0
persons per room	0.7
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	574
Average owner's major payments of owner occupied dwellings ($/month)	867

Period of Construction

1945 or before	‡
1946-1960	60*
1961-1970	135
1971-1980	190
1981-1991	145

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	325
minor repairs	125
major repairs	90

Needs of residents living in dwelling	
completely met	400
not adequately met	125

Residents on Waiting List for Housing 30*

Safety Devices

Dwellings with a smoke detector	505
in working order	475

Dwellings with a fire extinguisher	480
in working order	445

Insurance

Dwellings covered by insurance	275
Dwellings not covered by insurance	140
Insurance coverage unspecified	125

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	510
surface water	40*
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	‡
piped to home	525
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	480
Residents treat water to make it safe to drink	25*
Without drinking water at some point during the previous 12 months	35*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	515
surface water	35*
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	‡
piped to home	525
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	530
problems with electrical system	35*

Heating System

Dwellings with heating systems	510
main sources of heat ...	
oil furnace	315
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	20*
cooking stove	‡
fireplace	‡
another source	155
heating system unspecified	45*

Bathroom Facilities

Dwellings with bathroom facilities	530		
with a flush toilet	530		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	525		
in working order	525		
with a hot running water bathtub/shower	530	with a hot running water sink	530
in working order	530	in working order	530
with a cold running water bathtub/shower	525	with a cold running water sink	530
in working order	530	in working order	530
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

– Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Norman Wells

Selected Dwelling Characteristics

Occupied private dwellings	60
tenant	40
owner	15
band housing	x

Average number of ...	
persons per dwelling	2.9
rooms per dwelling	5.4
persons per room	0.5
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	501
Average owner's major payments of owner occupied dwellings ($/month)	539

Period of Construction

1945 or before	x
1946-1960	x
1961-1970	5*
1971-1980	20
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	30
minor repairs	20
major repairs	5*

Needs of residents living in dwelling	
completely met	40
not adequately met	20

Residents on Waiting List for Housing x

Safety Devices

Dwellings with a smoke detector	55
in working order	50

Dwellings with a fire extinguisher	45
in working order	45

Insurance

Dwellings covered by insurance	35
Dwellings not covered by insurance	15
Insurance coverage unspecified	15*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	45
surface water	x
community system	15
rain, snow, dugout	x
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	10*
piped to home	35
hauled by household member	15
stand pipe	x
bought at a store	x
other means	x
means unspecified	x

Available water is considered suitable to drink	35
Residents treat water to make it safe to drink	15
Without drinking water at some point during the previous 12 months	5*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	40
surface water	‡
community system	15
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	10*
piped to home	35
hauled by household member	15
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	55
problems with electrical system	‡

Heating System

Dwellings with heating systems	55
main sources of heat ...	
oil furnace	15
gas furnace	40
another type of furnace	‡
electric heat	‡
wood stove	5*
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	60		
with a flush toilet	60		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	60		
in working order	60		
with a hot running water bathtub/shower	60	with a hot running water sink	55
in working order	60	in working order	60
with a cold running water bathtub/shower	55	with a cold running water sink	60
in working order	55	in working order	60
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Paulatuk

Selected Dwelling Characteristics

Occupied private dwellings	50
tenant	35
owner	10
band housing	x

Average number of ...	
persons per dwelling	5.1
rooms per dwelling	5.0
persons per room	1.0
bedrooms per dwelling	2.8

Average gross rent of tenant occupied dwellings ($/month)	200
Average owner's major payments of owner occupied dwellings ($/month)	316

Period of Construction

1945 or before	x
1946-1960	x
1961-1970	10
1971-1980	15
1981-1991	25

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	20
minor repairs	15
major repairs	10

Needs of residents living in dwelling	
completely met	30
not adequately met	15

Residents on Waiting List for Housing

5

Safety Devices

Dwellings with a smoke detector	40
in working order	40

Dwellings with a fire extinguisher	40
in working order	40

Insurance

Dwellings covered by insurance	20
Dwellings not covered by insurance	10
Insurance coverage unspecified	15

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	x
surface water	40
community system	x
rain, snow, dugout	x
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	40
piped to home	x
hauled by household member	x
stand pipe	x
bought at a store	x
other means	x
means unspecified	5

Available water is considered suitable to drink	40
Residents treat water to make it safe to drink	x
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	45
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	5

Delivery of non-drinking water	
truck	40
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5

Electrical System

Dwellings with electricity	45
problems with electrical system	‡

Heating System

Dwellings with heating systems	40
main sources of heat ...	
oil furnace	35
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	‡
cooking stove	‡
fireplace	‡
another source	10
heating system unspecified	5

Bathroom Facilities

Dwellings with bathroom facilities	40
with a flush toilet	40
with an out-house	‡
with other toilet facilities	5
toilet facilities unspecified	5
with walls and a door (for privacy)	45
in working order	45
with a hot running water bathtub/shower	40
in working order	40
with a cold running water bathtub/shower	45
in working order	45
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	5
with a hot running water sink	45
in working order	40
with a cold running water sink	45
in working order	45

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Sachs Harbour

Selected Dwelling Characteristics

Occupied private dwellings	35
tenant	30
owner	10
band housing	‡

Average number of ...	
persons per dwelling	3.2
rooms per dwelling	5.5
persons per room	0.6
bedrooms per dwelling	2.9

Average gross rent of tenant occupied dwellings ($/month)	271
Average owner's major payments of owner occupied dwellings ($/month)	406

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5
1971-1980	15
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	15
minor repairs	10
major repairs	10

Needs of residents living in dwelling	
completely met	25
not adequately met	10

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	35
in working order	30

Dwellings with a fire extinguisher	35
in working order	30

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	15
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	35
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	30
piped to home	‡
hauled by household member	10
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	35
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	35
piped to home	‡
hauled by household member	5
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	35
problems with electrical system	5

Heating System

Dwellings with heating systems	35
main sources of heat ...	
oil furnace	30
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	5*
cooking stove	‡
fireplace	‡
another source	5
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	30
with a flush toilet	35
with an out-house	‡
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	35
in working order	30
with a hot running water bathtub/shower	35
in working order	30
with a cold running water bathtub/shower	35
in working order	35
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	35
in working order	30
with a cold running water sink	30
in working order	35

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

... Figure not appropriate or not applicable, or no information provided

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Tsiigehtchic

Selected Dwelling Characteristics

Occupied private dwellings	30	Average number of ...	
tenant	15	persons per dwelling	3.9
owner	20	rooms per dwelling	4.7
band housing	x	persons per room	0.8
		bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	138*
Average owner's major payments of owner occupied dwellings ($/month)	151

Period of Construction

1945 or before	x
1946-1960	5*
1961-1970	15
1971-1980	x
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...		Needs of residents living in dwelling	
regular maintenance only	20	completely met	20
minor repairs	5*	not adequately met	20
major repairs	10*		

Residents on Waiting List for Housing 10*

Safety Devices

Dwellings with a smoke detector	30	Dwellings with a fire extinguisher	30
in working order	25	in working order	25

Insurance

Dwellings covered by insurance	5*
Dwellings not covered by insurance	20
Insurance coverage unspecified	10*

Drinking Water

Source(s) of drinking water for dwelling		Delivery of drinking water	
municipal water system	30	truck	30
surface water	x	piped to home	x
community system	x	hauled by household member	x
rain, snow, dugout	x	stand pipe	x
household well	x	bought at a store	x
other source	x	other means	x
source unspecified	x	means unspecified	x

Available water is considered suitable to drink	35
Residents treat water to make it safe to drink	x
Without drinking water at some point during the previous 12 months	x

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	30
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	30
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	30
problems with electrical system	‡

Heating System

Dwellings with heating systems	35
main sources of heat ...	
oil furnace	20
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	20
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	30		
with a flush toilet	20		
with an out-house	‡		
with other toilet facilities	10*		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	30		
in working order	30		
with a hot running water bathtub/shower	25	with a hot running water sink	25
in working order	20	in working order	25
with a cold running water bathtub/shower	20	with a cold running water sink	25
in working order	20	in working order	25
Dwellings without bathroom facilities	5*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Tuktoyaktuk

Selected Dwelling Characteristics

Occupied private dwellings	200
tenant	155
owner	45
band housing	x

Average number of ...	
persons per dwelling	4.1
rooms per dwelling	4.8
persons per room	0.9
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	247
Average owner's major payments of owner occupied dwellings ($/month)	475

Period of Construction

1945 or before	x
1946-1960	x
1961-1970	35
1971-1980	50
1981-1991	105

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	90
minor repairs	40
major repairs	65

Needs of residents living in dwelling	
completely met	130
not adequately met	60

Residents on Waiting List for Housing

15*

Safety Devices

Dwellings with a smoke detector	180
in working order	185

Dwellings with a fire extinguisher	190
in working order	185

Insurance

Dwellings covered by insurance	40
Dwellings not covered by insurance	105
Insurance coverage unspecified	50

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	120
surface water	90
community system	x
rain, snow, disgout	15*
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	160
piped to home	x
hauled by household member	60
stand pipe	x
bought at a store	x
other means	x
means unspecified	x

Available water is considered suitable to drink	140
Residents treat water to make it safe to drink	40
Without drinking water at some point during the previous 12 months	x

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	135
surface water	55
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	185
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	150
problems with electrical system	10*

Heating System

Dwellings with heating systems	185
main sources of heat ...	
oil furnace	155
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	10*
cooking stove	10*
fireplace	‡
another source	15*
heating system unspecified	15*

Bathroom Facilities

Dwellings with bathroom facilities	195		
with a flush toilet	175		
with an out-house	‡		
with other toilet facilities	20*		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	190		
in working order	185		
with a hot running water bathtub/shower	175	with a hot running water sink	185
in working order	175	in working order	185
with a cold running water bathtub/shower	180	with a cold running water sink	185
in working order	175	in working order	185
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

Figure not appropriate or not applicable, or no information provided

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Detah

Selected Dwelling Characteristics

Occupied private dwellings	35
tenant	15
owner	20
band housing	‡

Average number of ...	
persons per dwelling	4.2
rooms per dwelling	4.5
persons per room	0.9
bedrooms per dwelling	2.3

Average gross rent of tenant occupied dwellings ($/month)	293
Average owner's major payments of owner occupied dwellings ($/month)	224

Period of Construction

1945 or before	‡
1946-1960	5*
1961-1970	10
1971-1980	5*
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10
minor repairs	5
major repairs	15

Needs of residents living in dwelling	
completely met	20
not adequately met	15

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	20
in working order	20

Dwellings with a fire extinguisher	20
in working order	20

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	20
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	35
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	35
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	35
Residents treat water to make it safe to drink	5*
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	35
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	30
piped to home	5*
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	35
problems with electrical system	‡

Heating System

Dwellings with heating systems	35
main sources of heat ...	
oil furnace	15
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	15
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	25		
with a flush toilet	20		
with an out-house	‡		
with other toilet facilities	10		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	30		
in working order	30		
with a hot running water bathtub/shower	20	with a hot running water sink	20
in working order	20	in working order	20
with a cold running water bathtub/shower	20	with a cold running water sink	20
in working order	20	in working order	20
Dwellings without bathroom facilities	5*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

– Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Liard

Selected Dwelling Characteristics

Occupied private dwellings	110
tenant	10*
owner	95
band housing	‡

Average number of ...	
persons per dwelling	3.9
rooms per dwelling	4.0
persons per room	1.0
bedrooms per dwelling	1.7

Average gross rent of tenant occupied dwellings ($/month)	298*
Average owner's major payments of owner occupied dwellings ($/month)	165

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5*
1971-1980	10*
1981-1991	85

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	40
minor repairs	30
major repairs	30

Needs of residents living in dwelling	
completely met	55
not adequately met	45

Residents on Waiting List for Housing 40

Safety Devices

Dwellings with a smoke detector	45
in working order	40

Dwellings with a fire extinguisher	20
in working order	20*

Insurance

Dwellings covered by insurance	15*
Dwellings not covered by insurance	75
Insurance coverage unspecified	20*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	85
surface water	10*
community system	‡
rain, snow, dugout	‡
household well	5*
other source	‡
source unspecified	10*

Delivery of drinking water	
truck	80
piped to home	10*
hauled by household member	15*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	10*

Available water is considered suitable to drink	75
Residents treat water to make it safe to drink	20
Without drinking water at some point during the previous 12 months	15*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	85
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	10*
source unspecified	10*

Delivery of non-drinking water	
truck	85
piped to home	5*
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	10*

Electrical System

Dwellings with electricity	80
problems with electrical system	‡

Heating System

Dwellings with heating systems	100
main sources of heat ...	
oil furnace	15*
gas furnace	‡
another type of furnace	10*
electric heat	‡
wood stove	75
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	45
with a flush toilet	40
with an out-house	65
with other toilet facilities	‡
toilet facilities unspecified	10*
with walls and a door (for privacy)	40
in working order	40
with a hot running water bathtub/shower	35
in working order	35
with a cold running water bathtub/shower	35
in working order	35
Dwellings without bathroom facilities	55
Bathroom facilities unspecified	10*

with a hot running water sink	40
in working order	40
with a cold running water sink	40
in working order	40

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

— Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Providence

Selected Dwelling Characteristics

Occupied private dwellings	150
tenant	90
owner	60
band housing	‡

Average number of ...	
persons per dwelling	4.0
rooms per dwelling	4.4
persons per room	0.9
bedrooms per dwelling	2.3

Average gross rent of tenant occupied dwellings ($/month)	367*
Average owner's major payments of owner occupied dwellings ($/month)	217

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	45
1971-1980	45
1981-1991	55

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	60
minor repairs	25
major repairs	65

Needs of residents living in dwelling	
completely met	85
not adequately met	50

Residents on Waiting List for Housing 40

Safety Devices

Dwellings with a smoke detector	130
in working order	125

Dwellings with a fire extinguisher	130
in working order	115

Insurance

Dwellings covered by insurance	50
Dwellings not covered by insurance	65
Insurance coverage unspecified	35

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	105
surface water	5*
community system	35
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	10*

Delivery of drinking water	
truck	145
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	5*

Available water is considered suitable to drink	140
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	20

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	105
surface water	10*
community system	30
rain, snow, dugout	‡
household well	‡
source unspecified	10*

Delivery of non-drinking water	
truck	145
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	5*

Electrical System

Dwellings with electricity	140
problems with electrical system	10*

Heating System

Dwellings with heating systems	145
main sources of heat ...	
oil furnace	105
gas furnace	5*
another type of furnace	‡
electric heat	15*
wood stove	20*
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	135		
with a flush toilet	130		
with an out-house	25		
with other toilet facilities	‡		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	135		
in working order	135		
with a hot running water bathtub/shower	130	with a hot running water sink	130
in working order	130	in working order	125
with a cold running water bathtub/shower	130	with a cold running water sink	130
in working order	130	in working order	130
Dwellings without bathroom facilities	10*		
Bathroom facilities unspecified	5*		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Resolution

Selected Dwelling Characteristics

Occupied private dwellings	145
tenant	65
owner	75
band housing	‡

Average number of ...	
persons per dwelling	3.4
rooms per dwelling	4.6
persons per room	0.7
bedrooms per dwelling	2.2

Average gross rent of tenant occupied dwellings ($/month)	160
Average owner's major payments of owner occupied dwellings ($/month)	234

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	45
1971-1980	25
1981-1991	70

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	65
minor repairs	20
major repairs	55

Needs of residents living in dwelling	
completely met	95
not adequately met	45

Residents on Waiting List for Housing 20

Safety Devices

Dwellings with a smoke detector	120
in working order	115

Dwellings with a fire extinguisher	120
in working order	110

Insurance

Dwellings covered by insurance	45
Dwellings not covered by insurance	85
Insurance coverage unspecified	10*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	105
surface water	‡
community system	35
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	145
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	120
Residents treat water to make it safe to drink	20
Without drinking water at some point during the previous 12 months	25

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	105
surface water	‡
community system	40
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	145
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	140
problems with electrical system	15*

Heating System

Dwellings with heating systems	145
main sources of heat ...	
oil furnace	90
gas furnace	‡
another type of furnace	10*
electric heat	‡
wood stove	60
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	135		
with a flush toilet	120		
with an out-house	20		
with other toilet facilities	15*		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	135		
in working order	130		
with a hot running water bathtub/shower	125	with a hot running water sink	120
in working order	120	in working order	115
with a cold running water bathtub/shower	125	with a cold running water sink	125
in working order	115	in working order	115
Dwellings without bathroom facilities	5*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

.. Figure not appropriate or not applicable, or no information provided

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Simpson

Selected Dwelling Characteristics

Occupied private dwellings	240
tenant	135
owner	105
band housing	‡

Average number of ...	
persons per dwelling	3.3
rooms per dwelling	5.1
persons per room	0.6
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	463
Average owner's major payments of owner occupied dwellings ($/month)	437

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	65
1971-1980	30*
1981-1991	135

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	135
minor repairs	50
major repairs	50

Needs of residents living in dwelling	
completely met	175
not adequately met	50

Residents on Waiting List for Housing

40

Safety Devices

Dwellings with a smoke detector	220
in working order	200

Dwellings with a fire extinguisher	180
in working order	170

Insurance

Dwellings covered by insurance	100
Dwellings not covered by insurance	100
Insurance coverage unspecified	40

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	205
surface water	15*
community system	20*
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	35
piped to home	190
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	170
Residents treat water to make it safe to drink	65
Without drinking water at some point during the previous 12 months	25*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	200
surface water	‡
community system	15*
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	35
piped to home	190
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	225
problems with electrical system	15*

Heating System

Dwellings with heating systems	235
main sources of heat ...	
oil furnace	120
gas furnace	20*
another type of furnace	15*
electric heat	‡
wood stove	60
cooking stove	20*
fireplace	‡
another source	45
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	215		
with a flush toilet	215		
with an out-house	25*		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	215		
in working order	210		
with a hot running water bathtub/shower	210	with a hot running water sink	210
in working order	210	in working order	210
with a cold running water bathtub/shower	210	with a cold running water sink	210
in working order	210	in working order	210
Dwellings without bathroom facilities	20*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

– Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Smith

Selected Dwelling Characteristics

Occupied private dwellings	460
tenant	230
owner	235
band housing	x

Average number of ...	
persons per dwelling	3.4
rooms per dwelling	5.9
persons per room	0.6
bedrooms per dwelling	2.7

Average gross rent of tenant occupied dwellings ($/month)	472
Average owner's major payments of owner occupied dwellings ($/month)	572

Period of Construction

1945 or before	x
1946-1960	55*
1961-1970	130
1971-1980	145
1981-1991	115

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	195
minor repairs	145
major repairs	120

Needs of residents living in dwelling	
completely met	385
not adequately met	65*

Residents on Waiting List for Housing 25*

Safety Devices

Dwellings with a smoke detector	415
in working order	400

Dwellings with a fire extinguisher	375
in working order	360

Insurance

Dwellings covered by insurance	305
Dwellings not covered by insurance	110
Insurance coverage unspecified	50*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	455
surface water	x
community system	x
rain, snow, dugout	x
household well	x
other source	x
source unspecified	x

Delivery of drinking water	
truck	20*
piped to home	425
hauled by household member	x
stand pipe	x
bought at a store	x
other means	x
means unspecified	x

Available water is considered suitable to drink	440
Residents treat water to make it safe to drink	x
Without drinking water at some point during the previous 12 months	x

Non-Drinking Water

Sources of non-drinking water for dwelling	
municipal water system	455
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	25*
piped to home	425
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	455
problems with electrical system	‡

Heating System

Dwellings with heating systems	450
main sources of heat	
oil furnace	350
gas furnace	‡
another type of furnace	30*
electric heat	‡
wood stove	105
cooking stove	‡
fireplace	‡
another source	25*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	440
with a flush toilet	430
with an out-house	20*
with other toilet facilities	‡
toilet facilities unspecified	‡
with walls and a door (for privacy)	440
in working order	440
with a hot running water bathtub/shower	430
in working order	430
with a cold running water bathtub/shower	430
in working order	430
Dwellings without bathroom facilities	‡
Bathroom facilities unspecified	‡

with a hot running water sink	430
in working order	430
with a cold running water sink	430
in working order	430

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

.. Figure not appropriate or not applicable, or no information provided

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Hay River

Selected Dwelling Characteristics

Occupied private dwellings	395
tenant	170
owner	230
band housing	‡

Average number of ...	
persons per dwelling	3.3
rooms per dwelling	5.8
persons per room	0.6
bedrooms per dwelling	2.7

Average gross rent of tenant occupied dwellings ($/month)	440
Average owner's major payments of owner occupied dwellings ($/month)	694

Period of Construction

1945 or before	‡
1946-1960	25*
1961-1970	155
1971-1980	140
1981-1991	75

Condition of Dwelling

Dwelling is in need of	
regular maintenance only	185
minor repairs	125
major repairs	85

Needs of residents living in dwelling	
completely met	300
not adequately met	95

Residents on Waiting List for Housing 40*

Safety Devices

Dwellings with a smoke detector	345
in working order	305

Dwellings with a fire extinguisher	300
in working order	290

Insurance

Dwellings covered by insurance	260
Dwellings not covered by insurance	70
Insurance coverage unspecified	70

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	360
surface water	‡
community system	30*
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	85
piped to home	310
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	370
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	15*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	360
surface water	‡
community system	30*
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	85
piped to home	310
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	390
problems with electrical system	20*

Heating System

Dwellings with heating systems	385
main sources of heat ...	
oil furnace	135
gas furnace	120
another type of furnace	‡
electric heat	‡
wood stove	110
cooking stove	‡
fireplace	‡
another source	90
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	385		
with a flush toilet	385		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	385		
in working order	385		
with a hot running water bathtub/shower	385	with a hot running water sink	385
in working order	380	in working order	380
with a cold running water bathtub/shower	380	with a cold running water sink	380
in working order	375	in working order	380
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Hay River Reserve

Selected Dwelling Characteristics

Occupied private dwellings	50
tenant	‡
owner	‡
band housing	50

Average number of ...	
persons per dwelling	4.0
rooms per dwelling	5.0
persons per room	0.8
bedrooms per dwelling	2.6

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	‡

Period of Construction

1945 or before	5*
1946-1960	‡
1961-1970	10
1971-1980	10
1981-1991	30

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	20
minor repairs	10
major repairs	20

Needs of residents living in dwelling	
completely met	35
not adequately met	15

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	40
in working order	35

Dwellings with a fire extinguisher	30
in working order	30

Insurance

Dwellings covered by insurance	20
Dwellings not covered by insurance	20
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	5*
surface water	‡
community system	50
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	50
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	50
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	5

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	10
surface water	‡
community system	45
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	50
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	50
problems with electrical system	‡

Heating System

Dwellings with heating systems	50
main sources of heat ...	
oil furnace	20
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	40
cooking stove	‡
fireplace	‡
another source	5*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	35		
with a flush toilet	30		
with an out-house	15		
with other toilet facilities	5*		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	35		
in working order	35		
with a hot running water bathtub/shower	30	with a hot running water sink	35
in working order	30	in working order	30
with a cold running water bathtub/shower	30	with a cold running water sink	35
in working order	30	in working order	35
Dwellings without bathroom facilities	15		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Jean Marie River

Selected Dwelling Characteristics

Occupied private dwellings	15
tenant	‡
owner	15
band housing	‡

Average number of ...	
persons per dwelling	3.4
rooms per dwelling	4.1
persons per room	0.8
bedrooms per dwelling	2.2

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	97

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5
1971-1980	5
1981-1991	10

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10
minor repairs	5
major repairs	‡

Needs of residents living in dwelling	
completely met	10
not adequately met	‡

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	15
in working order	10

Dwellings with a fire extinguisher	10
in working order	10

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	10
Insurance coverage unspecified	5

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	10
community system	5
rain, snow, dugout	5
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	10
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	5
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	5
surface water	5
community system	‡
rain, snow, dugout	5
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	10
piped to home	‡
hauled by household member	5
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	10
problems with electrical system	‡

Heating System

Dwellings with heating systems	15
main sources of heat ...	
oil furnace	5
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	10
cooking stove	5
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	10		
with a flush toilet	10		
with an out-house	5		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	5		
in working order	10		
with a hot running water bathtub/shower	5	with a hot running water sink	5
in working order	5	in working order	5
with a cold running water bathtub/shower	5	with a cold running water sink	5
in working order	5	in working order	5
Dwellings without bathroom facilities	5		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Lac la Martre

Selected Dwelling Characteristics

Occupied private dwellings	60
tenant	5
owner	55
band housing	‡

Average number of ...	
persons per dwelling	6.3
rooms per dwelling	4.9
persons per room	1.3
bedrooms per dwelling	2.7

Average gross rent of tenant occupied dwellings ($/month)	276
Average owner's major payments of owner occupied dwellings ($/month)	290

Period of Construction

1945 or before	‡
1946-1960	5
1961-1970	10
1971-1980	10
1981-1991	35

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	15
minor repairs	15
major repairs	35

Needs of residents living in dwelling	
completely met	25
not adequately met	35

Residents on Waiting List for Housing 10

Safety Devices

Dwellings with a smoke detector	50
in working order	45

Dwellings with a fire extinguisher	50
in working order	45

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	40
Insurance coverage unspecified	10

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	55
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	60
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	55
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	60
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	55
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	60
problems with electrical system	15

Heating System

Dwellings with heating systems	60
main sources of heat ...	
oil furnace	20
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	50
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	40		
with a flush toilet	25		
with an out-house	20		
with other toilet facilities	25		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	35		
in working order	40		
with a hot running water bathtub/shower	25	with a hot running water sink	20
in working order	25	in working order	20
with a cold running water bathtub/shower	20	with a cold running water sink	20
in working order	20	in working order	20
Dwellings without bathroom facilities	20		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Lutselk'e

Selected Dwelling Characteristics

Occupied private dwellings	65
tenant	35
owner	30
band housing	‡

Average number of ...	
persons per dwelling	4.1
rooms per dwelling	4.6
persons per room	0.9
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	489*
Average owner's major payments of owner occupied dwellings ($/month)	175

Period of Construction

1945 or before	‡
1946-1960	10*
1961-1970	15*
1971-1980	15*
1981-1991	30

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10*
minor repairs	20
major repairs	40

Needs of residents living in dwelling	
completely met	25
not adequately met	30

Residents on Waiting List for Housing 10*

Safety Devices

Dwellings with a smoke detector	45
in working order	40

Dwellings with a fire extinguisher	35
in working order	35

Insurance

Dwellings covered by insurance	10*
Dwellings not covered by insurance	45
Insurance coverage unspecified	15*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	60
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	45
piped to home	‡
hauled by household member	10*
stand pipe	‡
bought at a store	‡
other means	10*
means unspecified	5*

Available water is considered suitable to drink	50
Residents treat water to make it safe to drink	10*
Without drinking water at some point during the previous 12 months	15*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	55
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	55
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	10*
means unspecified	‡

Electrical System

Dwellings with electricity	60
problems with electrical system	5*

Heating System

Dwellings with heating systems	65
main sources of heat ...	
oil furnace	30
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	25
cooking stove	‡
fireplace	‡
another source	10*
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	55		
with a flush toilet	35		
with an out-house	‡		
with other toilet facilities	30		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	50		
in working order	50		
with a hot running water bathtub/shower	35	with a hot running water sink	35
in working order	30	in working order	30
with a cold running water bathtub/shower	35	with a cold running water sink	35
in working order	35	in working order	35
Dwellings without bathroom facilities	10*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Nahanni Butte

Selected Dwelling Characteristics

Occupied private dwellings	20
tenant	‡
owner	20
band housing	5

Average number of ...	
persons per dwelling	4.0
rooms per dwelling	5.1
persons per room	0.8
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	100

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	5
1971-1980	‡
1981-1991	15

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10
minor repairs	‡
major repairs	10

Needs of residents living in dwelling	
completely met	10
not adequately met	10

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	20	Dwellings with a fire extinguisher	15
in working order	15	in working order	10

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	15
Insurance coverage unspecified	5

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	10
community system	5
rain, snow, dugout	5
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	5
piped to home	‡
hauled by household member	15
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	15
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	5
community system	15
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	15
piped to home	‡
hauled by household member	10
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	20
problems with electrical system	‡

Heating System

Dwellings with heating systems	20
main sources of heat ...	
oil furnace	5
gas furnace	5
another type of furnace	‡
electric heat	‡
wood stove	15
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	10		
with a flush toilet	5		
with an out-house	20		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	10		
in working order	5		
with a hot running water bathtub/shower	5	with a hot running water sink	5
in working order	‡	in working order	5
with a cold running water bathtub/shower	5	with a cold running water sink	5
in working order	5	in working order	5
Dwellings without bathroom facilities	15		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

– Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Rae Lakes

Selected Dwelling Characteristics

Occupied private dwellings	45
tenant	5
owner	40
band housing	‡

Average number of ...	
persons per dwelling	5.1
rooms per dwelling	4.5
persons per room	1.1
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	91
Average owner's major payments of owner occupied dwellings ($/month)	139

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	15
1971-1980	5
1981-1991	20

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	5
minor repairs	15
major repairs	25

Needs of residents living in dwelling	
completely met	10
not adequately met	35

Residents on Waiting List for Housing 15

Safety Devices

Dwellings with a smoke detector	20
in working order	20

Dwellings with a fire extinguisher	25
in working order	25

Insurance

Dwellings covered by insurance	5
Dwellings not covered by insurance	40
Insurance coverage unspecified	‡

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	45
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	45
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	40
Residents treat water to make it safe to drink	5
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	45
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	40
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	40
problems with electrical system	15

Heating System

Dwellings with heating systems	45
main sources of heat ...	
oil furnace	5
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	45
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	10		
with a flush toilet	5		
with an out-house	20		
with other toilet facilities	30		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	10		
in working order	15		
with a hot running water bathtub/shower	5	with a hot running water sink	5
in working order	5	in working order	5
with a cold running water bathtub/shower	5	with a cold running water sink	5
in working order	5	in working order	5
Dwellings without bathroom facilities	25		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Rae-Edzo

Selected Dwelling Characteristics

Occupied private dwellings	260
tenant	150
owner	115
band housing	‡

Average number of ...	
persons per dwelling	5.3
rooms per dwelling	4.5
persons per room	1.2
bedrooms per dwelling	2.3

Average gross rent of tenant occupied dwellings ($/month)	263
Average owner's major payments of owner occupied dwellings ($/month)	293

Period of Construction

1945 or before	10*
1946-1960	15*
1961-1970	40
1971-1980	75
1981-1991	130

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	110
minor repairs	40
major repairs	105

Needs of residents living in dwelling	
completely met	170
not adequately met	85

Residents on Waiting List for Housing 50

Safety Devices

Dwellings with a smoke detector	210
in working order	200

Dwellings with a fire extinguisher	205
in working order	200

Insurance

Dwellings covered by insurance	55
Dwellings not covered by insurance	165
Insurance coverage unspecified	40

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	165
surface water	‡
community system	85
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	155
piped to home	75
hauled by household member	25
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	255
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	25

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	170
surface water	‡
community system	80
rain, snow, dugout	‡
household well	‡
source unspecified	10

Delivery of non-drinking water	
truck	155
piped to home	80
hauled by household member	20
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	245
problems with electrical system	10*

Heating System

Dwellings with heating systems	255
main sources of heat ...	
oil furnace	135
gas furnace	50
another type of furnace	‡
electric heat	10*
wood stove	110
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	10*

Bathroom Facilities

Dwellings with bathroom facilities	230		
with a flush toilet	210		
with an out-house	25		
with other toilet facilities	20		
toilet facilities unspecified	5*		
with walls and a door (for privacy)	220		
in working order	220		
with a hot running water bathtub/shower	210	with a hot running water sink	210
in working order	210	in working order	210
with a cold running water bathtub/shower	210	with a cold running water sink	210
in working order	210	in working order	215
Dwellings without bathroom facilities	30		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Snare Lake

Selected Dwelling Characteristics

Occupied private dwellings	20	Average number of ...	
tenant	‡	persons per dwelling	6.5
owner	15	rooms per dwelling	3.9
band housing	‡	persons per room	1.7
		bedrooms per dwelling	1.9

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	152

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	10
1971-1980	‡
1981-1991	10

Condition of Dwelling

Dwelling is in need of ...		Needs of residents living in dwelling	
regular maintenance only	‡	completely met	10
minor repairs	5	not adequately met	5
major repairs	10		

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	10	Dwellings with a fire extinguisher	10
in working order	‡	in working order	10

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	20
Insurance coverage unspecified	‡

Drinking Water

Source(s) of drinking water for dwelling		Delivery of drinking water	
municipal water system	‡	truck	‡
surface water	20	piped to home	‡
community system	‡	hauled by household member	‡
rain, snow, dugout	‡	stand pipe	‡
household well	‡	bought at a store	‡
other source	‡	other means	10
source unspecified	‡	means unspecified	5

Available water is considered suitable to drink	20
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	5
surface water	20
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	‡
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	10
means unspecified	‡

Electrical System

Dwellings with electricity	20
problems with electrical system	‡

Heating System

Dwellings with heating systems	15
main sources of heat ...	
oil furnace	‡
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	20
cooking stove	5
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	‡
with a flush toilet	‡
with an out-house	10
with other toilet facilities	10
toilet facilities unspecified	‡
with walls and a door (for privacy)	‡
in working order	‡
with a hot running water bathtub/shower	‡
in working order	‡
with a cold running water bathtub/shower	‡
in working order	‡
Dwellings without bathroom facilities	20
Bathroom facilities unspecified	‡

with a hot running water sink	‡
in working order	‡
with a cold running water sink	‡
in working order	‡

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Trout Lake

Selected Dwelling Characteristics

Occupied private dwellings	20
tenant	‡
owner	20
band housing	‡

Average number of ...	
persons per dwelling	3.3
rooms per dwelling	4.5
persons per room	0.7
bedrooms per dwelling	2.4

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	102

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	‡
1971-1980	5
1981-1991	10

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	10
minor repairs	10
major repairs	‡

Needs of residents living in dwelling	
completely met	15
not adequately met	5

Residents on Waiting List for Housing 5

Safety Devices

Dwellings with a smoke detector	10
in working order	10

Dwellings with a fire extinguisher	15
in working order	15

Insurance

Dwellings covered by insurance	‡
Dwellings not covered by insurance	20
Insurance coverage unspecified	‡

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	20
community system	‡
rain, snow, dugout	5
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	15
piped to home	‡
hauled by household member	10
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	20
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	20
community system	‡
rain, snow, dugout	5
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	15
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	5
means unspecified	‡

Electrical System

Dwellings with electricity	20
problems with electrical system	‡

Heating System

Dwellings with heating systems	20
main sources of heat ...	
oil furnace	5
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	20
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	5		
with a flush toilet	10		
with an out-house	20		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	5		
in working order	10		
with a hot running water bathtub/shower	10	with a hot running water sink	10
in working order	5	in working order	5
with a cold running water bathtub/shower	5	with a cold running water sink	10
in working order	5	in working order	10
Dwellings without bathroom facilities	10		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Wrigley

Selected Dwelling Characteristics

Occupied private dwellings	40
tenant	5
owner	40
band housing	‡

Average number of ...	
persons per dwelling	3.7
rooms per dwelling	4.7
persons per room	0.8
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	326
Average owner's major payments of owner occupied dwellings ($/month)	141

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	10
1971-1980	‡
1981-1991	30

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	25
minor repairs	10
major repairs	10

Needs of residents living in dwelling	
completely met	15
not adequately met	30

Residents on Waiting List for Housing 15

Safety Devices

Dwellings with a smoke detector	35	Dwellings with a fire extinguisher	25
in working order	30	in working order	25

Insurance

Dwellings covered by insurance	10
Dwellings not covered by insurance	35
Insurance coverage unspecified	5*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	‡
surface water	‡
community system	40
rain, snow, dugout	5*
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	40
piped to home	‡
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	30
Residents treat water to make it safe to drink	10
Without drinking water at some point during the previous 12 months	10

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	‡
surface water	‡
community system	40
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	40
piped to home	‡
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	35
problems with electrical system	5

Heating System

Dwellings with heating systems	45
main sources of heat ...	
oil furnace	10
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	30
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	30		
with a flush toilet	30		
with an out-house	25		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	30		
in working order	30		
with a hot running water bathtub/shower	25	with a hot running water sink	25
in working order	20	in working order	20
with a cold running water bathtub/shower	25	with a cold running water sink	25
in working order	25	in working order	20
Dwellings without bathroom facilities	15		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Yellowknife

Selected Dwelling Characteristics

Occupied private dwellings	1,040
tenant	675
owner	365
band housing	‡

Average number of ...	
persons per dwelling	3.4
rooms per dwelling	5.7
persons per room	0.6
bedrooms per dwelling	2.5

Average gross rent of tenant occupied dwellings ($/month)	887
Average owner's major payments of owner occupied dwellings ($/month)	1,301

Period of Construction

1945 or before	‡
1946-1960	90*
1961-1970	200
1971-1980	380
1981-1991	370

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	625
minor repairs	255
major repairs	165*

Needs of residents living in dwelling	
completely met	835
not adequately met	175*

Residents on Waiting List for Housing 105*

Safety Devices

Dwellings with a smoke detector	985
in working order	945

Dwellings with a fire extinguisher	760
in working order	690

Insurance

Dwellings covered by insurance	590
Dwellings not covered by insurance	335
Insurance coverage unspecified	110*

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	1,005
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	110*
piped to home	925
hauled by household member	‡
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	1,000
Residents treat water to make it safe to drink	‡
Without drinking water at some point during the previous 12 months	100*

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	1,005
surface water	‡
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	100*
piped to home	940
hauled by household member	‡
stand pipe	‡
other means	‡
means unspecified	‡

Electrical System

Dwellings with electricity	1,025
problems with electrical system	60*

Heating System

Dwellings with heating systems	1,030
main sources of heat ...	
oil furnace	655
gas furnace	90*
another type of furnace	‡
electric heat	135*
wood stove	80*
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	1,015		
with a flush toilet	980		
with an out-house	‡		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	1,015		
in working order	1,015		
with a hot running water bathtub/shower	1,015	with a hot running water sink	1,015
in working order	1,015	in working order	1,010
with a cold running water bathtub/shower	1,015	with a cold running water sink	1,020
in working order	1,015	in working order	1,010
Dwellings without bathroom facilities	‡		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%.

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%.

... Figure not appropriate or not applicable, or no information provided.

1991 Aboriginal Peoples Survey
Housing Characteristics of
Aboriginal Occupied Private Dwellings

Fort Smith, Unorganized

Selected Dwelling Characteristics

Occupied private dwellings	50
tenant	‡
owner	50
band housing	‡

Average number of ...	
persons per dwelling	2.9
rooms per dwelling	3.8
persons per room	0.8
bedrooms per dwelling	1.7

Average gross rent of tenant occupied dwellings ($/month)	‡
Average owner's major payments of owner occupied dwellings ($/month)	413*

Period of Construction

1945 or before	‡
1946-1960	‡
1961-1970	‡
1971-1980	15*
1981-1991	25*

Condition of Dwelling

Dwelling is in need of ...	
regular maintenance only	25*
minor repairs	10*
major repairs	‡

Needs of residents living in dwelling	
completely met	45
not adequately met	‡

Residents on Waiting List for Housing ‡

Safety Devices

Dwellings with a smoke detector	25*
in working order	15*

Dwellings with a fire extinguisher	30*
in working order	30*

Insurance

Dwellings covered by insurance	15*
Dwellings not covered by insurance	30*
Insurance coverage unspecified	‡

Drinking Water

Source(s) of drinking water for dwelling	
municipal water system	20*
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
other source	‡
source unspecified	‡

Delivery of drinking water	
truck	20*
piped to home	‡
hauled by household member	15*
stand pipe	‡
bought at a store	‡
other means	‡
means unspecified	‡

Available water is considered suitable to drink	35
Residents treat water to make it safe to drink	15*
Without drinking water at some point during the previous 12 months	‡

Non-Drinking Water

Source(s) of non-drinking water for dwelling	
municipal water system	15*
surface water	30
community system	‡
rain, snow, dugout	‡
household well	‡
source unspecified	‡

Delivery of non-drinking water	
truck	20*
piped to home	‡
hauled by household member	15*
stand pipe	‡
other means	15*
means unspecified	‡

Electrical System

Dwellings with electricity	45
problems with electrical system	‡

Heating System

Dwellings with heating systems	50
main sources of heat ...	
oil furnace	‡
gas furnace	‡
another type of furnace	‡
electric heat	‡
wood stove	50
cooking stove	‡
fireplace	‡
another source	‡
heating system unspecified	‡

Bathroom Facilities

Dwellings with bathroom facilities	25*		
with a flush toilet	15*		
with an out-house	35		
with other toilet facilities	‡		
toilet facilities unspecified	‡		
with walls and a door (for privacy)	20*		
in working order	20*		
with a hot running water bathtub/shower	20*	with a hot running water sink	20*
in working order	15*	in working order	20*
with a cold running water bathtub/shower	20*	with a cold running water sink	20*
in working order	20*	in working order	20*
Dwellings without bathroom facilities	30*		
Bathroom facilities unspecified	‡		

Symbols

* Figure to be used with caution. The coefficient of variation of the estimate is between 16.6% and 33.3%

‡ Zero, or figure suppressed since the coefficient of variation of the estimate is higher than 33.3%

... Figure not appropriate or not applicable, or no information provided